

BUILT TO LAST

MESO MESH1.5 DATASHEET

WWW.MESH SOLUTIONS.NL


MESH SOLUTIONS

MESH SOLUTIONS


Information	Data
Product	MeSo Mesh1,5
Cable diameter	1,5mm
Minimum mesh width	18mm
Maximum mesh width	300mm
Maximum length mesh	50m
Cable construction <25mm	7x19
Breaking load 7x19 cable	1,8kN
Tensile strength 7x19 cable	1770N/mm ²
Cable construction >25mm	7x7
Breaking load 7x7 cable	1,95kN
Tensile strength 7x7 cable	1770N/mm ²
Material cables	AISI316 (1.4401)
Material ferrules	AISI316L (1.4404)
Possible cable colors	Natural/Oxidated Black/ Colored PVC Coating
Possible ferrule colors	Natural/Oxidated Black

Borderconstructions


NO BORDER




EYELETS



LOOSE FERRULES



COMBINED



Eyelets

Ferrules



MeSo Mesh ferrule size 1,5mm

Width (MM)

Length (MM)

Thickness (MM)

5


6

2,2


Pressed

MESH SOLUTIONS


W (MM)	Cable	H (MM)
18	7x7	31
20	7x7	35
25	7x7	43
30	7x7	52
35	7x7	61
40	7x7	69
50	7x7	87
60	7x7	104
70	7x7	121
80	7x7	139
100	7x7	173
120	7x7	208
140	7x7	242
160	7x7	277
180	7x7	312
200	7x7	346
300	7x7	512



Mesh details



HORIZONTAL MESH



VERTICAL MESH

